



Door Style: Flat Panel Exterior 90
Stocked Species Type: Medieval Walnut & Coco Wood

42" Wide Door Important Unit Dimensions

*Based 90" H Door - Customizable Height up to 96" for fixed Fee's

Unit Size Excluding Trim:	43-3/4"W	x	92-3/4"H	x	6-9/16" D
Unit Size Including					
Attached Brickmould:	49-3/8"W	x	95-1/2"H		
Rough Opening Required	44-3/4"W	x	93-1/4"H		
Door Slab Size	42"W	x	90"H		*96" H Requires 3-point hardware
Approximate Shipping Weight	175				

*Weight is based on the products dry weight before finishing.

36" Wide Door Important Unit Dimensions

*Based 90" H Door - Customizable Height up to 96" for fixed Fee's

Unit Size Excluding Trim:	37-3/4"W	x	92-3/4"H	x	6-9/16" D
Unit Size Including					
Attached Brickmould:	43-3/8"W	x	95-1/2"H		
Rough Opening Required	38-3/4"W	x	93-1/4"H		
Door Slab Size	36"W	x	90"H		*96" H Requires 3-point hardware
Approximate Shipping Weight	150				

*Weight is based on the products dry weight before finishing.

Other Product Details

Attached Brickmould	3-5/8"W	x	1-1/4"Thick
Ship Loose Interior Casing	3-1/4"W	x	5/8" Thick
Sidelights	Not Applicable		
Iron Details	Not Standard - Can be added Upon Request		
Speak Easy	Not Applicable		
Tubular Drilling	Doors 90-94"H Machined for standard tubular hardware excluding handle. 2-3/4" baskset & 5-1/2" CtoC Standard unless stated otherwise		
3 - Point Hardware	Only applicable on doors 95-96"H - Hoppe Brand -Supply and install included excluding handle		
Hinging	Pre-Hung on heavy duty ball bearing hinges included Black, bronze or satin nickel hinges included *SS extra		

General Notes

Products may differ from the pictures shown, depending on the wood variants and finishing details.

All packages include matching brick moulds and interior casings.

95-96" H doors may require the use of 3-point hardware based on local building codes.

*Available in other wood species via special order.

Warranty Information:

Please refer to our warranty page located on our website



Door Style: Flat Panel Exterior 90 Double Sidelight
Stocked Species Type: Medieval Walnut & Coco Wood

42" Wide Door Important Unit Dimensions

*Based on a 42" Wide Door with 14" Sidelights & 90" H Door - Customizable width via sidelights upto 22" W & Height upto 96" for fixed Fee's

Unit Size Excluding Trim: 74-1/2"W x 92-3/4"H x 6-9/16" D

Unit Size Including

Attached Brickmould: 79-1/2"W x 95-1/4"H

Rough Opening Required 75-1/2"W x 93-1/4"H

Door Slab Size 42"W x 90"H *96" H Requires 3-point hardware

Approximate Shipping Weight 300LBS

*Weight is based on the products dry weight before finishing.

36" Wide Door Important Unit Dimensions

*Based on a 36" Wide Door with 14" Sidelights & 90" H Door - Customizable width via sidelights upto 22" W & Height upto 96" for fixed Fee's

Unit Size Excluding Trim: 68-1/2"W x 92-3/4"H x 6-9/16" D

Unit Size Including

Attached Brickmould: 73-1/2"W x 95-1/4"H

Rough Opening Required 69-1/2"W x 93-1/4"H

Door Slab Size 36"W x 90"H *96" H Requires 3-point hardware

Approximate Shipping Weight 280

*Weight is based on the products dry weight before finishing.

Other Product Details

Attached Brickmould 3-1/4"W x 1-1/4"Thick

Ship Loose Interior Casing 3-1/4"W x 5/8" Thick

Sidelights QTY 2 - Full light 14" W Sidelights

Iron Details Not Standard - Can be added Upon Request

Speak Easy Not Applicable

Tubular Drilling Doors 90-94"H Machined for standard tubular hardware excluding handle. 2-3/4" baskset & 5-1/2" CtoC Standard unless stated otherwise

3 - Point Hardware Only applicable on doors 95-96"H - Hoppe Brand -Supply and install included excluding handle

Hinging Pre-Hung on heavy duty ball bearing hinges included
Black, bronze or satin nickel hinges included *SS extra

Glass Size and Quantity - *Always Double Check Actual Unit before ordering *

Sidelights - QTY 2 13-5/8"W x 90-3/8"H x 1" Thick

*Clear Tempered Sealed Glass Standard Unless Requested Otherwise

General Notes

Products may differ from the pictures shown, depending on the wood variants and finishing details.

All packages include matching brick moulds and interior casings.

95-96" H doors may require the use of 3-point hardware based on local building codes.

*Available in other wood species via special order.

Warranty Information:

Please refer to our warranty page located on our website



Door Style: Flat Panel Exterior 90 Single Sidelight
Stocked Species Type: Medieval Walnut & Coco Wood

42" Wide Door Important Unit Dimensions

*Based on 42" Wide Door with 14" Sidelights & 90" H Door - Customizable width via sidelights upto 22" W & Height upto 96" for fixed Fee's

Unit Size Excluding Trim:	59"W	x	92-3/4"H	x	6-9/16" D
Unit Size Including					
Attached Brickmould:	64"W	x	95-1/4"H		
Rough Opening Required	60"W	x	93-1/4"H		
Door Slab Size	42"W	x	90"H		*96" H Requires 3-point hardware
Approximate Shipping Weight	250LBS				

*Weight is based on the products dry weight before finishing.

36" Wide Door Important Unit Dimensions

*Based on 36" Wide Door with 14" Sidelights & 90" H Door - Customizable width via sidelights upto 22" W & Height upto 96" for fixed Fee's

Unit Size Excluding Trim:	53"W	x	92-3/4"H	x	6-9/16" D
Unit Size Including					
Attached Brickmould:	58"W	x	95-1/4"H		
Rough Opening Required	54"W	x	93-1/4"H		
Door Slab Size	36"W	x	90"H		*96" H Requires 3-point hardware
Approximate Shipping Weight	225LBS				

*Weight is based on the products dry weight before finishing.

Other Product Details

Attached Brickmould	3-1/4"W	x	1-1/4"Thick
Ship Loose Interior Casing	3-1/4"W	x	5/8" Thick
Sidelights	QTY 1 - Full light	14" W Sidelights	
Iron Details	Not Standard - Can be added	Upon Request	
Speak Easy	Not Applicable		
Tubular Drilling	Doors 90-94"H Machined for standard tubular hardware excluding handle. 2-3/4" baskset & 5-1/2" CtoC Standard unless stated otherwise		
3 - Point Hardware	Only applicable on doors 95-96"H - Hoppe Brand -Supply and install included excluding handle		
Hinging	Pre-Hung on heavy duty ball bearing hinges included		
	Black, bronze or satin nickel hinges included *SS extra		

Glass Size and Quantity - *Always Double Check Actual Unit before ordering *

Sidelights - QTY 1	13-5/8"W	x	90-3/8"H	x	1" Thick
--------------------	----------	---	----------	---	----------

*Clear Tempered Sealed Glass Standard Unless Requested Otherwise

General Notes

Products may differ from the pictures shown, depending on the wood variants and finishing details.

All packages include matching brick moulds and interior casings.

95-96" H doors may require the use of 3-point hardware based on local building codes.

*Available in other wood species via special order.

Warranty Information:

Please refer to our warranty page located on our website



Door Style: Flat Panel Exterior 3680 Single Door
Stocked Species Type: Medieval Walnut & Coco Wood

Door Important Unit Dimensions

Unit Size Excluding Trim:	37-3/4"W	x	82-1/2"H	x	6-9/16" D
Unit Size Including					
Attached Brickmould:	42-3/4"W	x	85"H		
Rough Opening Required	38-3/4"W	x	83"H		
Door Slab Size	36"W	x	80"H		
Approximate Shipping Weight	150LBS				

*Weight is based on the products dry weight before finishing.

Other Product Details

Attached Brickmould	3-1/4"W	x	1-1/4"Thick
Ship Loose Interior Casing	3-1/4"W	x	5/8" Thick
Sidelights	Not Applicable		
Iron Details	Not Standard - Can be added Upon Request		
Speak Easy	Not Applicable		
Tubular Drilling	Doors 80"H Machined for standard tubular hardware excluding handle. 2-3/4" baskset & 5-1/2" CtoC Standard unless stated otherwise		
Hinging	Pre-Hung on heavy duty ball bearing hinges included Black, bronze or satin nickel hinges included *SS extra		

General Notes

Products may differ from the pictures shown, depending on the wood variants and finishing details.

All packages include matching brick moulds and interior casings.

*Available in other wood species via special order.

Warranty Information:

Please refer to our warranty page located on our website



Door Style: Flat Panel Exterior 3680 Double Sidelight
Stocked Species Type: Medieval Walnut & Coco Wood

Door Important Unit Dimensions

*Based on a 36" Wide Door with 11-3/4" Sidelights - Customizable width via sidelights upto 20" W for fixed Fee

Unit Size Excluding Trim:	64-1/4"W	x	82-1/2"H	x	6-9/16" D
Unit Size Including					
Attached Brickmould:	69-1/4"W	x	85"H		
Rough Opening Required	65-1/4"W	x	83"H		
Door Slab Size	36"W	x	80"H		
Approximate Shipping Weight	225LBS				

*Weight is based on the products dry weight before finishing.

Other Product Details

Attached Brickmould	3-1/4"W	x	1-1/4"Thick
Ship Loose Interior Casing	3-1/4"W	x	5/8" Thick
Sidelights	QTY 2 - Full light 11-3/4" W Sidelights		
Iron Details	Not Standard - Can be added Upon Request		
Speak Easy	Not Applicable		
Tubular Drilling	Doors 80"H Machined for standard tubular hardware excluding handle. 2-3/4" baskset & 5-1/2" CtoC Standard unless stated otherwise		
Hinging	Pre-Hung on heavy duty ball bearing hinges included Black, bronze or satin nickel hinges included *SS extra		

Glass Size and Quantity - *Always Double Check Actual Unit before ordering *

Sidelights - QTY 2	11-1/2"W	x	80-1/4"H	x	1" Thick
--------------------	----------	---	----------	---	----------

*Clear Tempered Sealed Glass Standard Unless Requested Otherwise

General Notes

Products may differ from the pictures shown, depending on the wood variants and finishing details.

All packages include matching brick moulds and interior casings.

*Available in other wood species via special order.

Warranty Information:

Please refer to our warranty page located on our website



Door Style: Flat Panel Exterior 3680 Single Sidelight
Stocked Species Type: Medieval Walnut & Coco Wood

Door Important Unit Dimensions

*Based on a 36" Wide Door with 11-3/4" Sidelight - Customizable width via sidelights upto 20" W for fixed Fee

Unit Size Excluding Trim:	51"W	x	82-1/2"H	x	6-9/16" D
Unit Size Including					
Attached Brickmould:	56"W	x	85"H		
Rough Opening Required	52"W	x	83"H		
Door Slab Size	36"W	x	80"H		
Approximate Shipping Weight	200LBS				

*Weight is based on the products dry weight before finishing.

Other Product Details

Attached Brickmould	3-1/4"W	x	1-1/4"Thick
Ship Loose Interior Casing	3-1/4"W	x	5/8" Thick
Sidelights	QTY 1 - Full light 11-3/4" W Sidelights		
Iron Details	Not Standard - Can be added Upon Request		
Speak Easy	Not Applicable		
Tubular Drilling	Doors 80"H Machined for standard tubular hardware excluding handle. 2-3/4" baskset & 5-1/2" CtoC Standard unless stated otherwise		
Hinging	Pre-Hung on heavy duty ball bearing hinges included Black, bronze or satin nickel hinges included *SS extra		

Glass Size and Quantity - *Always Double Check Actual Unit before ordering *

Sidelights - QTY 1	11-1/2"W	x	80-1/4"H	x	1" Thick
--------------------	----------	---	----------	---	----------

*Clear Tempered Sealed Glass Standard Unless Requested Otherwise

General Notes

Products may differ from the pictures shown, depending on the wood variants and finishing details.

All packages include matching brick moulds and interior casings.

*Available in other wood species via special order.

Warranty Information:

Please refer to our warranty page located on our website